

Projeto – Fontes Pesquisa

Artigos Científicos selecionados para este projeto:

- 1) **Análise citológica do líquido cefalorraquidiano_PUCPR_BIOLOGIA_v31_n73a75_artigo 11_novo;**
- 2) **659_2482_1_Pb_Estabilidade de Compostos Antioxidantes em Hortaliças Processadas_Uma Revisão;**
- 3) **A importância da água no organismo humano_Artigo UNIFRA_2004_Academia do Curso de Nutrição;**Ana Lucia Serafim;Eilamaria Libardoni Vieira;Ivana Loraine Lindeman;
- 4) **Agentes Oxidantes_Antioxidantes_Fernando KUSS_Bioquímica do tecido animal_Pós-Graduação em Ciências Veterinárias_UFRGS_2005;**
- 5) **Água Alcalina Ionizada_Fonte de Saúde e Bem-Estar_Ana Rita Pinto_Mestre em Ciências Farmacêuticas:**

BIBLIOGRAFIA

1. Association of Alkaline Ionized Water Apparatus. Disponível em: <http://www.3aaa.gr.jp/english/alkali/hs.html>. Acedido em 14 de Março de 2014.
2. Tashiro H. Clinical examination of alkaline water. In: Livro de Resumos do Simpósio “Electrolyzed functional water in therapy” no 25o Encontro da Sociedade Médica Japonesa.; 1999:6–7.
3. Shirahata S. Regulation of functions of animal cells by reduced water and its medical application. Nippon Nogei Kagaku Kaishi. 2000;74:994–98.
4. Kikuchi K, Takeda H, Rabolt B, et al. Hydrogen particles and supersaturation in alkaline water from a Alkali – Ion – Water electrolyzer. J Electroanal Chem. 2001;506:22–27. Disponível em: <http://www.healingwatermachines.com/articles/scientificStudies/hydrogen-particles-supersaturation-alkaline-water.pdf>.
5. Ohsawa I, Ishikawa M, Takahashi K, et al. Hydrogen acts as a therapeutic antioxidant by selectively reducing cytotoxic oxygen radicals. Nat Med. 2007;13(6):688–94. Disponível em: <http://www.ncbi.nlm.nih.gov/pubmed/17486089>.
6. Buchholz B, Kaczorowski D, Sugimoto R, et al. Hydrogen inhalation ameliorates oxidative stress in transplantatio induced intestinal graft injury. AM J Transpl. 2008;8(10):2015–24. Disponível em: <http://onlinelibrary.wiley.com/doi/10.1111/j.1600-6143.2008.02359.x/pdf>.
7. Fukuda K, Asoh S, Ishikawa M. Inhalation of hydrogen gas suppresses hepatic injury caused by ischemia/reperfusion through reducing oxidative stress. Biochem Biophys Res Commun. 2007;361:670–674. Disponível em: <http://www.ncbi.nlm.nih.gov/pubmed/17673169>.
8. Gharib B, Hanna S, Abdallahi O, Lepidi H, Gardette B, De Reggi M. Anti-inflammatory properties of molecular hydrogen: investigation on parasite-

induced liver inflammation. *C R Acad Sci III*. 2001;324(8):719–24. Disponível em:

<http://www.ncbi.nlm.nih.gov/pubmed/11510417>.

9. Ohta S. Recent progress toward hydrogen medicine: potential of molecular hydrogen for preventive and therapeutic applications. *Curr Pharm Des*. 2011;17(22):2241–52. Disponível em:

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3257754/pdf/CPD-17-2241.pdf>.

10. Huang C, Kawamura T, Toyoda Y, Nakao A. Recent advances in hydrogen research as a therapeutic medical gas. *Free Radic Res*. 2010;44(9):971–82. Disponível em: <http://www.ncbi.nlm.nih.gov/pubmed/20815764>.

11. Zhang J, Liu C, Zhou L, et al. A review of hydrogen as a new medical therapy. *Hepatogastroenterology*. 2012;59(116):1026–32. Disponível em: <http://www.ncbi.nlm.nih.gov/pubmed/22328284>.

12. Hong Y, Chen S, Zhang J. Hydrogen as a selective antioxidant: a review of clinical and experimental studies. *J Int Med Res*. 2010;38(6):1893–903. Disponível em: <http://www.ncbi.nlm.nih.gov/pubmed/21226992>.

13. Ohta S. Hydrogen gas and hydrogen water act as a therapeutic and preventive antioxidant with a novel concept. *Nihon Ronen Igakkai Zasshi*. 2008;45(4):355–62. Disponível em: https://www.jstage.jst.go.jp/article/geriatrics/45/4/45_4_439/_pdf.

14. Dixon B, Tang J, Zhang J. The evolution of molecular hydrogen: a noteworthy potential therapy with clinical significance. *Med Gas Res*. 2013;3(1):10. Disponível em: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3660246/pdf/2045-9912-3-10.pdf>.

15. Shirahata S, et al., eds. Reduced Water for Prevention of Diseases. In: *Animal Cell Technology: Basic & Applied Aspects*. Volume 12. Kluwer Academic Publishers; 2002:25–30.

16. Hamasaki T, Kashiwagi T, Imada T, et al. Kinetic analysis of superoxide anion radical-scavenging and hydroxyl radical-scavenging activities of platinum nanoparticles. *Langmuir*. 2008;24(14):7354–64. Disponível em:

<http://www.ncbi.nlm.nih.gov/pubmed/18553993>.

17. Yan H, Kashiwaki T, Shirahata S. The neuroprotective effects of electrolyzed reduced water and its model water containing molecular hydrogen and Pt nanoparticles. *BMC Proc*. 2008;5(8):69. Disponível em:

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3285010/pdf/1753-6561-5-S8-P69.pdf>.

18. Shirahata S, Kabayama S, Nakano M, et al. Electrolyzed-reduced water scavenges active oxygen species and protects DNA from oxidative damage. *Biochem Biophys Res Commun.* 1997;234(1):269–74. Disponível em: <http://www.ncbi.nlm.nih.gov/pubmed/9169001>.
19. Lee M, Kim Y, Ryou K, Lee Y, Park E. Electrolyzed-reduced water protects against oxidative damage to DNA, RNA, and protein. *Appl Biochem Biotechnol.* 2006;135(2):133–44. Disponível em: <http://www.ncbi.nlm.nih.gov/pubmed/17159237>.
20. Ryuhei N, Kiichiro T, Yoshinori K, et al. Electrolyzed reduced water supplemented with platinum nanoparticles suppresses promotion of two-stage cell transformation. *Cytotechnology.* 2005;47:97–105. Disponível em: http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3449822/pdf/10616_2005_Article_3759.pdf.
21. Ye J, Li Y, Hamasaki T, et al. Inhibitory Effect of Electrolyzed Reduced Water on Tumor Angiogenesis. *Biol Pharm Bull.* 2008;31(1):19–26. Disponível em: https://www.jstage.jst.go.jp/article/bpb/31/1/31_1_19/_pdf.
22. Tsai C-F, Hsu Y-W, Chen W-K, Ho Y-C, Lu F-J. Enhanced induction of mitochondrial damage and apoptosis in human leukemia HL-60 cells due to electrolyzed-reduced water and glutathione. *Biosci Biotechnol Biochem.* 2009;73(2):280–7. Disponível em: https://www.jstage.jst.go.jp/article/bbb/73/2/73_80413/_pdf.
23. Nakao A, Toyoda Y, Sharma P, Evans M, Guthrie N. Effectiveness of Hydrogen Rich Water on Antioxidant Status of Subjects with Potential Metabolic Syndrome - An Open Label Pilot Study. *J Clin Biochem Nutr.* 2010;46:140–9. Disponível em: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2831093/pdf/jcbn-46-140.pdf>.
24. Hashimoto M, Katakura M, Nabika T, et al. Effects of hydrogen-rich water on abnormalities in a SHR.Cg-Leprcp/NDmcr rat - a metabolic syndrome rat model. *Med Gas Res.* 2011;1(26). Disponível em: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3231949/pdf/2045-9912-1-26.pdf>.
25. Song G, Li M, Sang H, et al. Hydrogen-rich water decreases serum LDL-cholesterol levels and improves HDL function in patients with potential metabolic syndrome. *J Lipid Res.* 2013;54(7):1884–93. Disponível em: <http://www.ncbi.nlm.nih.gov/pubmed/23610159>.
26. Shirahata S, Takeki H, Teruya K. Advanced research on the health benefit of reduced water. *Trends Food Sci Technol.* 2012;23:124–131. Disponível em: <http://www.scribd.com/doc/139395770/Advanced-Electrolyzed-water-research>.
27. Li Y, Hamasaki T, Nakamichi N, et al. Suppressive effects of electrolyzed reduced water on alloxan-induced apoptosis and type 1 diabetes mellitus.

- Cytotechnology. 2011;63:119–131. Disponível em:
<http://link.springer.com/article/10.1007/s10616-010-9317-6#page-1>.
28. Li Y, Teruya K, Katakura Y, et al. Effect of reduced water on the apoptotic cell death triggered by oxidative stress in pancreatic beta HIT-T15 cell. *Anim Cell Technol Meets Genomics*. 2005;2:121–124. Disponível em:
http://link.springer.com/chapter/10.1007/1-4020-3103-3_21#page-1.
29. Kim M, Jung K, Uhm Y, Leem K, Kim H. Preservative effect of electrolyzed reduced water on pancreatic beta-cell mass in diabetic db/db mice. *Biol Pharm Bull*. 2007;30(2):234–6. Disponível em:
https://www.jstage.jst.go.jp/article/bpb/30/2/30_2_234/_pdf.
30. Li Y, Nishimura T, Teruya K, et al. Protective mechanism of reduced water against alloxan-induced pancreatic beta-cell damage: Scavenging effect against reactive oxygen species. *Cytotechnology*. 2002;40:139–149. Disponível em:
http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3449533/pdf/10616_2004_Article_5117352.pdf.
31. Jin D, Ryu S, Kim H, et al. Anti-diabetic effect of alkaline-reduced water on OLETF rats. *Biosci Biotechnol Biochem*. 2006;70(1):31–7. Disponível em:
https://www.jstage.jst.go.jp/article/bbb/70/1/70_1_31/_pdf.
32. Kim M-J, Kim HK. Anti-diabetic effects of electrolyzed reduced water in streptozotocin-induced and genetic diabetic mice. *Life Sci*. 2006;79(24):2288–92. Disponível em:
<http://www.sciencedirect.com/science/article/pii/S0024320506005923>.
33. Oda M, Kusumoto K, Teruya K, et al. Electrolyzed and natural reduced water exhibit insulin-like activity on glucose uptake into muscle cells and adipocytes. *Anim Cell Technol Prod from Cells, Cells as Prod*. 2002:425–7. Disponível em:
http://link.springer.com/chapter/10.1007/0-306-46875-1_90#page-1.
34. Oda M, Kusumoto K, Teruya K, et al. Electrolyzed and Natural Reduced Water Exhibit Insulin-Like Activity on Glucose Uptake into Muscle Cells and Adipocytes. In: A Bernard et al, ed. *Animal Cell Technology: Products from Cells, Cells as Products*. Kluwer Academic Publishers; 2002:425–427. Disponível em: http://link.springer.com/chapter/10.1007/0-306-46875-1_90.
35. Kajiyama S, Hasegawa G, Asano M, et al. Supplementation of hydrogen-rich water improves lipid and glucose metabolism in patients with type 2 diabetes or impaired glucose tolerance. *Nutr Res*. 2008;28(3):137–43. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/19083400>.
36. Gadek Z, Hamasaki T, Shirahata S. “Nordenau phenomenon” - application of natural reduced water to therapy. Follow-up study upon 411 diabetes patients. In: *Animal Cell Technology: Basic & Applied Aspects*. Volume 15.

- Springer Netherlands; 2009:265–271. Disponível em:
http://link.springer.com/chapter/10.1007/978-1-4020-9646-4_41#page-1.
37. Gadek Z, Yuping L, Shirahata S. Influence of natural reduced water on relevant tests parameters and reactive oxygen species concentration in blood of 320 diabetes patients in the prospective observation procedure. In: *Animal Cell Technology: Basic & Applied Aspects*. Volume 14. Springer Netherlands; 2006:377–85. Disponível em: http://link.springer.com/chapter/10.1007/1-4020-4457-7_51#page-1.
38. Kang K-M, Kang Y-N, Choi I-B, et al. Effects of drinking hydrogen-rich water on the quality of life of patients treated with radiotherapy for liver tumors. *Med Gas Res*. 2011;1(11). Disponível em:
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3231938/pdf/2045-9912-1-11.pdf>.
39. Fujita K, Seike T, Yutsudo N, Ohno M, Yamada H. Hydrogen in Drinking Water Reduces Dopaminergic Neuronal Loss in the 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine Mouse Model of Parkinson's Disease. *PLoS One*. 2009;4(9). Disponível em:
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2747267/pdf/pone.0007247.pdf>.
40. Gu Y, Huang C-S, Inoue T, et al. Drinking Hydrogen Water Ameliorated Cognitive Impairment in Senescence-Accelerated Mice. *J Clin Biochem Nutr*. 2010;46:269–276. Disponível em:
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2872234/pdf/jcbrn-46-269.pdf>.
41. Fu Y, Ito M, Fujita Y, et al. Molecular hydrogen is protective against 6-hydroxydopamine-induced nigrostriatal degeneration in a rat model of Parkinson's disease. *Neurosci Lett*. 2009;453(2):81–5. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/19356598>.
42. Sato Y, Kajiyama S, Amano A, et al. Hydrogen-rich pure water prevents superoxide formation in brain slices of vitamin C-depleted SMP30/GNL knockout mice. *Biochem Biophys Res Commun*. 2008;375(3):346–50. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/18706888>.
43. Ohsawa I, Nishimaki K, Yamagata K, Ishikawa M, Ohta S. Consumption of hydrogen water prevents atherosclerosis in apolipoprotein E knockout mice. *Biochem Biophys Res Commun*. 2008;377(4):1195–8. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/18996093>.
44. Ekuni D, Tomofuji T, Endo Y, et al. Hydrogen-rich water prevents lipid deposition in the descending aorta in a rat periodontitis model. *Arch Oral Biol*. 2012;57(12):1615–22. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/22607937>.

45. Ishibashi T, Sato B, Rikitake M, et al. Consumption of water containing a high concentration of molecular hydrogen reduces oxidative stress and disease activity in patients with rheumatoid arthritis: an open-label pilot study. *Med Gas Res.* 2012;2(27). Disponível em: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3563451/pdf/2045-9912-2-27.pdf>.
46. Kato S, Saitoh Y, Iwai K, Miwa N. Hydrogen-rich electrolyzed warm water represses wrinkle formation against UVA ray together with type-I collagen production and oxidative-stress diminishment in fibroblasts and cell-injury prevention in keratinocytes. *J Photochem Photobiol B.* 2012;106:24–33. Disponível em: <http://www.ncbi.nlm.nih.gov/pubmed/22070900>.
47. Sergej O. Drinks with alkaline negative oxidative reduction potential improve exercise performance in physically active men and women: Double-blind, randomized, placebo-controlled, cross-over trial of efficacy and safety. *Serb J Sport Sci.* 2011;3. Disponível em: <http://www.sjss-sportsacademy.edu.rs/archive/details/full/drinks-with-alkaline-negative-oxidative-reduction-potential-improve-exercise-performance-in-physically-active-men-and-women-double-blind-randomized-placebo-controlled-cross-over-trial-of-efficacy-and-safety-223.html>.
48. Aoki K, Nakao A, Adachi T, Matsui Y, Miyakawa S. Pilot study: Effects of drinking hydrogen-rich water on muscle fatigue caused by acute exercise in elite athletes. *Med Gas Res.* 2012;2(12). Disponível em: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3395574/pdf/2045-9912-2-12.pdf>.
49. Ignacio RMC, Kang T-Y, Kim C-S, et al. Anti-obesity Effect of Alkaline Reduced Water in High Fat-Fed Obese Mice. *Biol Pharm Bull.* 2013;36(7):1052–9. Disponível em: https://www.jstage.jst.go.jp/article/bpb/36/7/36_b12-00781/_pdf.
50. Abraham GE, Flechas JD. The effect of daily consumption of 2 liters of electrolyzed water for 2 months on body composition and several physiological parameters in four obese subjects: A preliminary report. *Orig Internist.* 2011;18(3):96–106. Disponível em: http://www.clinpublication.com/documents/September_OI_2011.pdf.
51. Huang K, Yang C, Hsu S, et al. Electrolyzed-reduced water reduced hemodialysis-induced erythrocyte impairment in end-stage renal disease patients. *Kidney Int.* 2006;70(2):391–8. Disponível em: <http://www.ncbi.nlm.nih.gov/pubmed/16760903>.
52. Nakayama M, Kabayama S, Nakano H, et al. Biological effects of electrolyzed water in hemodialysis. *Nephron Clin Pr.* 2009;112(1):c–9–15. Disponível em: <http://www.ncbi.nlm.nih.gov/pubmed/19342864>.
53. Huang K, Yang C, Lee K, Chien C. Reduced hemodialysis-induced oxidative stress in end-stage renal disease patients by electrolyzed reduced water.

- Kidney Int. 2003;64(2):704–14. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/12846769>.
54. Vorobjeva N. Selective stimulation of the growth of anaerobic microflora in the human intestinal tract by electrolyzed reducing water. *Med Hypotheses*. 2005;64(3):543–6. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/15617863>.
55. Park S-K, Qi X-F, Song S-B, et al. Electrolyzed-reduced water inhibits acute ethanol-induced hangovers in Sprague-Dawley rats. *Biomed Res*. 2009;30(5):263–9. Disponível em:
https://www.jstage.jst.go.jp/article/biomedres/30/5/30_5_263/_pdf.
56. Adeva M, Souto G. Diet-induced metabolic acidosis. *Clin Nutr*. 2011;30(4):416–21. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/21481501>.
57. Frasseto L, Morris R, Sellmeyer D, Todd K, Sebastian A. Diet, evolution and aging--the pathophysiologic effects of the post-agricultural inversion of the potassium-to-sodium and base-to-chloride ratios in the human diet. *Eur J Nutr*. 2001;40(5):200–13. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/11842945>.
58. Remer T. Influence of nutrition on acid-base balance-metabolic aspects. *Eur J Nutr*. 2001;40(5):214–20. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/11842946>.
59. Lonergan E. Aging and the kidney: adjusting treatment to physiologic change. *Geriatrics*. 1988;43(3):27–30. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/3277889>.
60. Frasseto L, Sebastian A. Age and systemic acid-base equilibrium: analysis of published data. *J Gerontol A Biol Sci Med Sci*. 1996;51(1):B91–9. Disponível em: <http://www.ncbi.nlm.nih.gov/pubmed/8548506>.
61. Tareen N, Zadshir A, Martins D, Nagami G, Levine B, Norris K. Alterations in acid-base homeostasis with aging. *J Natl Med Assoc*. 2004;96(7):921–5. Disponível em:
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2568433/pdf/jnma00176-0013.pdf>.
62. Alpern R, Sakhaee K. The clinical spectrum of chronic metabolic acidosis: homeostatic mechanisms produce significant morbidity. *Am J Kidney Dis*. 1997;29(2):291–302. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/9016905>.
63. Mitch W. Metabolic and clinical consequences of metabolic acidosis. *J Nephrol*. 2006;19(9):S70–5. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/16736444>.

64. Arnett T. Regulation of bone cell function by acid-base balance. *Proc Nutr Soc.* 2003;62(2):511–20. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/14506899>.
65. Frasseto L, Morris R, Sebastian A. Effect of age on blood acid-base composition in adult humans: role of age-related renal functional decline. *Am J Physiol.* 1996;271(6 Pt 2):F1114–22. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/8997384>.
66. Pizzorno J, Frassetto L, Katzinger J. Diet-induced acidosis: is it real and clinically relevant? *Br J Nutr.* 2010;103(8):1185–94. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/20003625>.
67. Murakami K, Sasaki S, Takahashi Y, Uenishi K. Association between dietary acid-base load and cardiometabolic risk factors in young Japanese women. *Br J Nutr.* 2008;100(3):642–51. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/18279559>.
68. Souto G, Donapetry C, Adeva M. Metabolic Acidosis-Induced Insulin Resistance and Cardiovascular Risk. *Metab Syndr Relat Disord.* 2011;9(4):247–253. Disponível em:
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3155690/pdf/met.2010.0108.pdf>.
69. DeFronzo R, Beckles A. Glucose intolerance following chronic metabolic acidosis in man. *Am J Physiol.* 1979;236(4):E328–34. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/434194>.
70. Mandel E, Curhan G, Taylor E. Plasma bicarbonate and risk of type 2 diabetes mellitus. *CMAJ.* 2012;184(13):E719–725. Disponível em:
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3447038/pdf/184e719.pdf>.
71. Farwell W, Taylor E. Serum bicarbonate, anion gap and insulin resistance in the National Health and Nutrition Examination Survey. *Diabet Med.* 2008;25(7):798–804. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/18644066>.
72. Arnett T. Extracellular pH Regulates Bone Cell Function. *J Nutr.* 2008;138(2):415S–418S. Disponível em:
<http://jn.nutrition.org/content/138/2/415S.full.pdf+html>.
73. Nutr EJ. Acid-base imbalance and the skeleton. *Bushinsky, DA.* 2001;40(5):238–44. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/11842949>.
74. Maurer M, Riesen W, Muser J, Jultter H, Krapf R. Neutralization of Western diet inhibits bone resorption independently of K intake and reduces cortisol secretion in humans. *AM J Physiol Ren Physiol.* 2003;284(1):F32–40. Disponível em:
<http://ajprenal.physiology.org/content/284/1/F32.full-text.pdf+html>.

75. Meghji S, Morrison M, Henderson B, Arnett T. pH dependence of bone resorption: mouse calvarial osteoclasts are activated by acidosis. *Am J Physiol Endocrinol Metab.* 2001;280(1):E112–9. Disponível em:
<http://ajpendo.physiology.org/content/280/1/E112.full-text.pdf+html>.
76. Krieger N, Frick K, Bushinsky D. Mechanism of acid-induced bone resorption. *Curr Opin Nephrol Hypertens.* 2004;13(4):423–36. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/15199293>.
77. Bushinsky D, Frick K. The effects of acid on bone. *Curr Opin Nephrol Hyperten.* 2000;9(4):369–79. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/10926173>.
78. Wynn E, Lanham-New S, Krieg M, Whittamore D, Burckhardt P. Low estimates of dietary acid load are positively associated with bone ultrasound in women older than 75 years of age with a lifetime fracture. *J Nutr.* 2008;138(7):1349–54. Disponível em:
<http://jn.nutrition.org/content/138/7/1349.full.pdf+html>.
79. Dawson-Hughes B, Harris S, Ceglia L. Alkaline diets favor lean tissue mass in older adults. *Am J Clin Nutr.* 2008;87(3):662–5. Disponível em:
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2597402/pdf/nihms75694.pdf>.
80. Williams B, Layward E, Walls J. Skeletal muscle degradation and nitrogen wasting in rats with chronic metabolic acidosis. *Clin Sci.* 1991;80(5):457–62. Disponível em: <http://www.ncbi.nlm.nih.gov/pubmed/1851685>.
81. Robey I. Examining the relationship between diet-induced acidosis and cancer. *Nutr Metab.* 2012;9:72. Disponível em:
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3571898/pdf/1743-7075-9-72.pdf>.
82. Schwalfenberg G. The Alkaline Diet: Is There Evidence That an Alkaline pH Diet Benefits Health? *J Env Public Heal.* 2012;2012. Disponível em:
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3195546/pdf/JEPH2012-727630.pdf>.
83. Tucker K, Hannan M, Kiel D. The acid-base hypothesis: diet and bone in the Framingham Osteoporosis Study. *Eur J Nutr.* 2001;40(5):231–7. Disponível em:
<http://www.ncbi.nlm.nih.gov/pubmed/11842948>.
84. Tucker K, Chen H, Hannan M, et al. Bone mineral density and dietary patterns in older adults: the Framingham Osteoporosis Study. *Am J Clin Nutr.* 2002;76(1):245–52. Disponível em:
<http://ajcn.nutrition.org/content/76/1/245.full.pdf+html>.
85. Zerwekh J, Zou L, Pak C, Moe O, Preisig P. Biochemical and histological assessment of alkali therapy during high animal protein intake in the rat. *Bone.* 2009;45(5):1004–9. Disponível em:
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2753741/pdf/nihms-136358.pdf>.

86. Dawson-Hughes B, Harris S, Palermo N, Castaneda-Sceppa C, Rasmussen H, Dallal G. Treatment with potassium bicarbonate lowers calcium excretion and bone resorption in older men and women. *J Clin Endocrinol Metab.* 2009;94(1):96–102. Disponível em: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2630872/>.

87. Vormann J, Worlitschek M, Goedecke T, Silver B. Supplementation with alkaline minerals reduces symptoms in patients with chronic low back pain. *J Trace Elem Med Biol.* 2001;15(2-3):179–83. Disponível em: <http://www.ncbi.nlm.nih.gov/pubmed/11787986>.

88. Ostojic S. Serum Alkalinization and Hydrogen-Rich Water in Healthy Men. *Mayo Clin Proc.* 2012;87(5):501–502. Disponível em: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3498110/pdf/main.pdf>.

89. Abol-Enein H, Gheith O, Barakat N, Nour E, Sharaf A. Ionized alkaline water: new strategy for management of metabolic acidosis in experimental animals. *Ther Apher Dial.* 2009;13(3):220–4. Disponível em: <http://www.ncbi.nlm.nih.gov/pubmed/19527469/>.

- 6) **Anti-Diabetic effect of alkaline-reduced water on OLEFT Rats_August_25th_2005**;
- 7) **Voltage, The key to Rebuilding You Life_Jerry Tennant**
- 8) **Avaliação da Eficiência de Remoção de Hormônios em Estações de Tratamento de Efluentes_ Universidade Federal de Juiz de Fora_Amanda de Mello Viali_2014**
- 9) **Study_Vol12-No.2, Feb_2004_Cosmetic Dermatology Journal_The efficacy and tolerability of electrolyzed oxidized water in treating mild to moderate ACNE_Alplash Desai, DO;Cynthia J. Tam, DO;Kinnari Bhakta, BS;Tajas Desai, DO: Rashmi Sarkar, MD;Neil B. Desai BS;**
- 10) **Estresse Oxidativo_Relação entre geração de espécies reativos e defesa do organismo_Scielo BR_Google Scholar H5M5 (2016);**
- 11) **A Fonte da Juventude_Vol.1_Peter Kelder;**
- 12) **A Fonte da Juventude_Vol.2_Peter Kelder;**
- 13) **Zeta Potential of kaolinite in the presence of ALKALI_ALKALINE EARTH AND HYDROLYZABLE METAL IONS_Yeliz Yukselen_Abidin Kaya_Received April_16th_Accepted October_22th_2002;**
- 14) **Reverse Aging_Sang Whang;**
- 15) **Por que ficamos doentes_Hayashi, Hidemitsu DR.;**
- 16) **Água como um nutracêmico_Lucy Harasawa Uno, M.D; Mestre em Medicina USP; Ginecologia e Obstetrícia USP; Acupuntura UNIFESP;Prática Ortomolecular FAPES;Diretora da AMBBDORT;**
- 17) **ACID-ALKALINE BALANCE: ROLE IN CHRONIC DISEASE AND DETOXIFICATION_Deanna M. Minich, PhD, FACN, CNS; Jeffrey S. Bland, PhD, FACN;**
- 18) **Anticancer Effect of Alkaline Reduced Water_Kyu-Jae LEE1,2, Seung-Kyu PARK1,2, Jae-Won KIM1, Gwang-Young KIM1, Young-Suk RYANG5, Geun-Ha KIM 1, Hyun-Cheol CHO3, Soo-Kie KIM2,3, and Hyun-Won KIM2,41 Dept. of Parasitology, 2 Institute of Basic Medical Sciences, 3 Dept. of Microbiology, 4 Dept. of Biochemistry, Wonju College of Medicine, Yonsei Univ. (Wonju , Korea) 5Dept. of Biomedical Laboratory Science and Institute of Health Science, College of Health Science, Yonsei Univ. (Wonju , Korea);**

- 19) **Effect of Electrolyzed Water on Wound Healing Artificial Organs 2000; 24:984-987***Naoki Yahagi, *Masashi Kono, *Masaki Kitahara,*Akito Ohmura, †Osao Sumita,‡Toshimasa Hashimoto, †Katsuaki Hori,‡Chen Ning-Juan, §Paul Woodson, ¶Shoji Kubota,**Arata Murakami, and **Shinichi Takamoto,*Department of Anesthesiology, Teikyo University Mizonokuchi Hospital; †Coherent Technology Inc.;‡Faculty of Engineering, Tokyo Institute of Technology; §Basic Sciences Department, Kenmore Bastyr University; ¶Water Design Laboratories, and **Department of Thoracic Surgery, University of Tokyo, Tokyo, Japan;
- 20) **Inhibitory Effect of Electrolyzed Reduced Water on Tumor Angiogenesis**_Jun YE,a,b Yuping LI,a,c Takeki HAMASAKI,d Noboru NAKAMICHI,e Takaaki KOMATSU,d Taichi KASHIWAGI,d Kiichiro TERUYA,a,d Ryuhei NISHIKAWA,d Takeshi KAWAHARA,d Kazuhiro OSADA,d Kazuko TOH,d Masumi ABE,d Huaize TIAN,d Shigeru KABAYAMA,f Kazumichi OTSUBO,f Shinkatsu MORISAWA,f Yoshinori KATAKURA,a,d and Sanetaka SHIRAHATA*,a,daGraduate School of Systems Life Sciences, Kyushu University; dDepartment of Genetic Resources Technology, Faculty of Agriculture, Kyushu University; 6-10-1 Hakozaki, Higashi-ku, Fukuoka 812-8581, Japan: bKey Laboratory of the Ministry of Education for Cell Biology and Tumor Cell Engineering, School of Life Science, Xiamen University; Fujian, 361005 P.R. China: c School of Life Sciences, Nanchang University of Science and Technology; Nanchang 330006, P.R.China: e Functional Water Cell Analysis Center Co., Ltd.; Fukuoka 812-0053, Japan: and f Nihon Trim Co., Ltd.; 1-8-34 Oyodonaka, Kita-ku, Osaka 531-0076, Japan.Received June 9, 2007; accepted October 16, 2007; published online October 17, 2007;
- 21) **Efficacy of Electrolyzed Oxidizing Water for Inactivating Escherichia coli O157:H7, Salmonella enteritidis, and Listeria monocytogenes** KUMAR S. VENKITANARAYANAN,1 GABRIEL O. EZEIKE,2 YEN-CON HUNG,2 AND MICHAEL P. DOYLE2* Department of Animal Science, University of Connecticut, Storrs, Connecticut 06269,1 and Center for Food Safety and Quality Enhancement, College of Agricultural and Environmental Sciences, University of Georgia, Griffin, Georgia 30223-17972_Received 14 December 1998/Accepted 18 June 1999;
- 22) **The mechanism of the enhanced antioxidant effects against**
- 23) **superoxide anion radicals of reduced water produced by**
- 24) **electrolysis**_Kokichi Hanaoka *, Dongxu Sun , Richard Lawrence a, c c, Yoshinori Kamitanib, Gabriel Fernandesc_aBio-REDOX Laboratory Inc. 1187-4, Oaza-Ueda, Ueda-shi, Nagano-ken 386-0001, Japan_bHoshizaki Electric Company, Limited 3-16 Minamiyakata, Toyoake, cAichi-ken 470-1194, Japan Divison of Clinical Immunology, Department of Medicine, University of Texas Health Science Center at San Antonio, San Antonio, TX 78229, USA_Received 8 July 2003; received in revised form 22 August 2003; accepted 22 August 2003;
- 25) **Electrolyzed-Reduced Water Scavenges Active Oxygen Species and Protects DNA from Oxidative Damage**_Sanetaka Shirahata,1 Shigeru Kabayama, Mariko Nakano, Takumi Miura, Kenichi Kusumoto, Miho Gotoh, Hidemitsu Hayashi,* Kazumichi Otsubo,**Shinkatsu Morisawa,** and Yoshinori Katakura Institute of Cellular Regulation Technology, Graduate School of Genetic Resources Technology, Kyushu University, 6-10-1_Hakozaki, Higashi-ku, Fukuoka 812-81, Japan; *Water Institute, Nisshin Building 9F, 2-5-10 Shinjuku, Tokyo 160, Japan; and **Nihon Trim Co. Ltd., Meiji Seimei Jusou Building 6F, 1-2-13 Shinkitano, Yodogawa-ku, Osaka 532, Japan_Received March 21, 1997;

- 26) **Preservative Effect of Electrolyzed Reduced Water on Pancreatic b -Cell Mass in Diabetic db/db Mice**_Mi-Ja KIM,a,b Kyung Hee JUNG,c Yoon Kyung UHM,c Kang-Hyun LEEM,d and Hye Kyung KIM*,e aDepartment of Obesity Management, Graduate School of Obesity Science, Dongduk Women's University; Seoul 136–714, South Korea: b Imagine Obesity Institute, 117 Purynsol Mun Wa Gyun, Kyung Hee University; 1 Hoegi-Dong, Dongdaemun-Gu, Seoul 136–701, South Korea: cDepartment of Pharmacology, College of Medicine, Kyung Hee University; 1 Hoegi-Dong, Dongdaemun-Gu, Seoul 136–701, South Korea: dCollege of Korean Medicine, Semyung University; Jaechon, 370–711, South Korea: and eDepartment of Food and Biotechnology, Hanseo University; Seosan 356–706, South Korea. Received July 27, 2006; accepted November 10, 2006;
- 27) **Citrate therapy for polycystic kidney disease in rats**_GEORGE A. TANNER and JUDITH A. TANNER_ Department of Physiology and Biophysics, Indiana University School of Medicine, Indianapolis, Indiana, USA;
- 28) **Sterilization effect of electrolyzed water on rice food** Seiichiro Isobe, Chang-yong Lee, and Kyoichiro Yoshida;
- 29) **Application of electrolyzed water in the food industry**_Yu-Ru Huang a, Yen-Con Hung b, Shun-Yao Hsu c, Yao-Wen Huang d,e, Deng-Fwu Hwang d,*aDepartment of Food Science, National Penghu University, Penghu, Taiwan, ROC bDepartment of Food Science and Technology, College of Agriculture aEnvironmental Sciences, University of Georgia, Griffin, GA 30223-1797, USA cGraduate Institute of Food Science and Technology, National Taiwan University, P.O. Box 23-14, Taipei 106, Taiwan, ROC dDepartment of Food Science, National Taiwan Ocean University, Keelung, Taiwan, ROC eDepartment of Food Science and Technology, Center for Food Safety, University of Georgia, Athens, GA 30602-7610, USA Received 12 February 2007; received in revised form 6 August 2007; accepted 10 August 2007
- 30) **Clinical Studies and Research on Electrolyzed-Reduced Water_Fluid Replacement promotes optimal physical performance**_Med Sci Sports Exercise_1996_Jan_28th_American College of Sports Medicine position stand. Exercise and Fluid Replacement_Convertino VA, Armstrong LE, Cpyle EF, Mack GW, Sawka MN, Senay LC Jr, Shermann WM;